

## Chemocare prescription V1.04

Forename

Surname

## Protocol

TOPOTECAN ORAL

SA (m<sup>2</sup>)

Height (m)

Weight (kg)

DOB

Patient NO

Local No.

Course Name:

Oral Topotecan

Consultant

Ward

7 Type of line

No. of lumen:

## Diagnosis

Small cell lung cancer
------------------------

NHS No

### **Additional Prescribing Notes**

Dose modification  
Delay one week if ANC<1, Plts<100

Dose reduce by 0.4mg/m<sup>2</sup>/day (to give 1.9mg/m<sup>2</sup>/day) to a minimum of 1.5mg/m<sup>2</sup>/day if necessary if :

- \*ANC<0.5 for 7 days or more
- severe neutropenia associated with fever/ infection or
- if treatment has been delayed due to neutropenia

\*if Plt count <25

\*Grade 3 or 4 diarrhoea (also if necessary with grade 2 diarrhoea- clinical decision)

Contraindicated if CrCl<20ml/min

### Additional Prescribing Notes

### Dose modification

Delay one week if ANC<1, Plts<100

Dose reduce by 0.4mg/m<sup>2</sup>/day (to give 1.9mg/m<sup>2</sup>/day) to a minimum of 1.5mg/m<sup>2</sup>/day if necessary if :

\*ANC<0.5 for 7 days or more

severe neutropenia associated with fever/ infection or if treatment has been delayed due to neutropenia

- \*if Plt count <25

\*Grade 3 or 4 diarrhoea (also if necessary with grade 2 diarrhoea- clinical decision)

Contraindicated if CrCl<20ml/min

Allocated by:

**Confirmed by:**

**Authorised by:**

Checked by: (Pharmacist)
--------------------------

Date:

Date:

Date:

Date:

**Chart Id.:**

Parenteral

1

Intrathecal

**0**

Oral

2

Patient Details

Forename	Surname		Protocol	TOPOTECAN ORAL					SA (m²)				
			Course Name	Oral Topotecan					Height (m)				
DOB	Patient NO		Local No.	NHS No						Weight (kg)			
Consultant			Ward	Diagnosis	Small cell lung cancer								
Address													

Record drug allergies or sensitivities

				Time	Date													
Drug & dose	TOPOTECAN																	
Actual dose	4 mg		Duration	5 DAYS														
Route	PO		Start Date															
Frequency	DAILY		Start Day	1														
Quantity Dispensed		Dispensed by																
		Accuracy check																
Note																		
Drug & dose	METOCLOPRAMIDE																	
Actual dose	10 mg		Duration	PRN														
Route	PO		Start Date															
Frequency	TDS		Start Day	1														
Quantity Dispensed		Dispensed by																
		Accuracy check																
Note	If pre-pack supplied record Batch Number : _____.																	

Allocated by:	Confirmed by:	Authorised by:	Checked by: (Pharmacist)	Chart Id.:
Date:	Date:	Date:	Date:	

Patient Details

Forename	Surname		Protocol	TOPOTECAN ORAL					SA (m²)	
			Course Name	Oral Topotecan					Height (m)	
DOB	Patient NO	Local No.		NHS No						Weight (kg)
		Ward								
Address										

Record drug allergies or sensitivities

				Time	Date													
Drug & dose	LOPERAMIDE																	
Actual dose	2 mg	Duration	SEE NOTE															
Route	PO	Start Date																
Frequency	MDU	Start Day	1															
Quantity Dispensed		Dispensed by																
		Accuracy check																
Note	Take 4mg after first loose stool then 2mg after each loose stool thereafter upto a maximum of 8 cap/tabs in 24 hours. If pre-pack supplied record Batch Number : _____.																	

Allocated by:	Confirmed by:	Authorised by:	Checked by: (Pharmacist)	Chart Id.:
Date:	Date:	Date:	Date:	