

Patient Details

Forename

Surname

Protocol

VINORELBINE Single agent NSCLC

SA (m²)

Height (m)

Weight (kg)

DOB

Patient NO

Local No.

Course Name:

Oral Vinorelbine single agent 60mg/m2 NSCLC

Consultant

Ward

Type of line

No. of lumen:

Diagnosis

Non small cell lung cancer

NHS No

Monitoring	Acceptable Range		Date Due	Date of Test	Value	Checked
Height (m)						
Weight (kg)						
SA (m²)						
ALA TRANSAM2.5ULN	0.00	100.00	Day [1]			
ALK PHOSPH 5 ULN	30.00	650.00	Day [1]			
BILIRUBIN 1.5ULN	0.00	31.50	Day [1]			
NEUTROPHILS > 1.5	1.50	15.00	Day [1]			
PLATELETS > 100	100.00	600.00	Day [1]			
NEUTROPHILS > 1.0	1.00	15.00	Day [8]			
PLATELETS> 75	75.00	600.00	Day [8]			

Additional Prescribing Notes
Vinorelbine 60mg/m2 orally (maximum weekly dose 160mg) on Day 1 and Day 8 and if no significant toxicities and is clinically acceptable the dose may be increased to 80mg/m2 for subsequent cycles.

Dose Modification
For grade 3 toxicity or neutropenic sepsis dose reduce vinorelbine to 45mg/m2

Allocated by:

Confirmed by:

Authorised by:

Checked by: (Pharmacist)

Parenteral

Intrathecal

Oral

1

0

4

Date:

Date:

Date:

Date:

Chart Id.:Preview

Patient Details

Forename	Surname		Protocol	VINORELBINE Single agent NSCLC						SA (m²)		
			Course Name	Oral Vinorelbine single agent 60mg/m2 NSCLC						Height (m)		
DOB	Patient NO		Local No.	NHS No							Weight (kg)	
Consultant			Ward	Diagnosis	Non small cell lung cancer							
Address												

Record drug allergies or sensitivities

			Time	Date													
Drug & dose	ONDANSETRON																
Actual dose	8 mg	Duration															
Route	PO	Start Date															
Frequency		Start Day	1														
Quantity Dispensed		Dispensed by															
		Accuracy check															
Note	To be given 30 minutes before Vinorelbine.																
Drug & dose	DEXAMETHASONE																
Actual dose	8 mg	Duration															
Route	PO	Start Date															
Frequency		Start Day	1														
Quantity Dispensed		Dispensed by															
		Accuracy check															
Note	To be given 30 minutes before Vinorelbine.																

Allocated by:	Confirmed by:	Authorised by:	Checked by: (Pharmacist)	Chart Id.:Preview
Date:	Date:	Date:	Date:	
/ /	/ /	/ /	/ /	

Patient Details

Forename	Surname		Protocol	VINORELBINE Single agent NSCLC					SA (m²)				
			Course Name	Oral Vinorelbine single agent 60mg/m2 NSCLC					Height (m)				
DOB	Patient NO		Local No.		NHS No							Weight (kg)	
			Ward										
Address													

Record drug allergies or sensitivities

				Time	Date													
Drug & dose	VINORELBINE ORAL																	
Actual dose	100 mg		Duration	1 DAY ONLY														
Route	PO		Start Date															
Frequency	OD		Start Day	1														
Quantity Dispensed			Dispensed by															
			Accuracy check															
Note	Maximum dose 160mg/ week.																	
Drug & dose	METOCLOPRAMIDE																	
Actual dose	10 mg		Duration	PRN														
Route	PO		Start Date															
Frequency	TDS		Start Day	1														
Quantity Dispensed			Dispensed by															
			Accuracy check															
Note	If pre-pack supplied record Batch Number : _____.																	

Allocated by:	Confirmed by:	Authorised by:	Checked by: (Pharmacist)	Chart Id.:Preview
Date:	Date:	Date:	Date:	
/ /	/ /	/ /	/ /	

Patient Details

Forename	Surname	Protocol	VINORELBINE Single agent NSCLC		SA (m²)
		Course Name	Oral Vinorelbine single agent 60mg/m2 NSCLC		Height (m)
DOB	Patient NO	Local No.	NHS No		Weight (kg)
		Ward			
Address					

Record drug allergies or sensitivities
--

				Time	Date													
Drug & dose	ONDANSETRON																	
Actual dose	8 mg	Duration																
Route	PO	Start Date																
Frequency		Start Day	8															
Quantity Dispensed		Dispensed by																
		Accuracy check																
Note	To be given 30 minutes before Vinorelbine.																	
Drug & dose	DEXAMETHASONE																	
Actual dose	8 mg	Duration																
Route	PO	Start Date																
Frequency		Start Day	8															
Quantity Dispensed		Dispensed by																
		Accuracy check																
Note	To be given 30 minutes before Vinorelbine.																	

Allocated by:	Confirmed by:	Authorised by:	Checked by: (Pharmacist)	
Date:	Date:	Date:	Date:	Chart Id.:Preview
	/ /	/ /	/ /	

Patient Details

Forename	Surname		Protocol	VINORELBINE Single agent NSCLC					SA (m²)		
			Course Name	Oral Vinorelbine single agent 60mg/m2 NSCLC (11)					Height (m)		
DOB	Patient NO	Local No.		NHS No						Weight (kg)	
		Ward									
Address											

Record drug allergies or sensitivities

				Time	Date													
Drug & dose	VINORELBINE ORAL																	
Actual dose	100 mg	Duration	1 DAY ONLY															
Route	PO	Start Date																
Frequency	OD	Start Day	8															
Quantity Dispensed		Dispensed by																
		Accuracy check																
Note	Maximum dose 160mg/ week.																	
Drug & dose	METOCLOPRAMIDE																	
Actual dose	10 mg	Duration	PRN															
Route	PO	Start Date																
Frequency	TDS	Start Day	8															
Quantity Dispensed		Dispensed by																
		Accuracy check																
Note	Discuss with patient and delete if supply not required. If pre-pack supplied record Batch Number : _____.																	

Allocated by:	Confirmed by:	Authorised by:	Checked by: (Pharmacist)	Chart Id.:Preview
Date:	Date:	Date:	Date:	
/ /	/ /	/ /	/ /	