

Patient Details

Forename

Surname

Protocol

VCD

SA (m²)

Height (m)

Weight (kg)

DOB

Patient NO

Local No.

Course Name:

VCD (SC Bortezomib)

Consultant

Ward

Type of line

SINGLE LINE

Diagnosis

Myeloma

NHS No

[illegible]

Additional Prescribing Notes

Please prescribe supportive/preventative care either on Chemocare or on a separate paper prescription, as per local trust policy and guidance.

1) Consider stress ulcer PPI prophylaxis i.e.

lansoprazole

2) Consider allopurinol 300mg OD (100mg OD if CrCl <20mls/min) for first 4 weeks of treatment only.

Encourage patient to take Day 1, 4, 8 and 11, dexamethasone on morning of (or at least one hour prior to) bortezomib treatment.

Inject into thigh or abdomen

Injection site should be rotated, new injections should be given at least 2.5cm from previous site

A 25 gauge needle is recommended. This needle should not be purged of air prior to injection being administered.

Haematological Toxicity: is defined as the lowest count reached following an injection if platelets >30 and/or ANC >0.75 (other than cycle 1 day 1). Delay treatment until platelets and ANC have recovered.

Renal Toxicity: If unexplained elevations in serum creatinine to ≥ 2 -fold above baseline values and above ULN occur, the next cycle should be delayed until

Allocated by:

Confirmed by:

Authorised by:

Checked by: (Pharmacist)

Date:

Date:

Date:

Date:

Chart Id.:

Parenteral	3
Intrathecal	0
Oral	4

Parenteral Cytotoxic Chart

Chemocare Version 1.05

Page:2 of 7

Patient Details

Forename

Surname

Protocol

VCD

DOB

Patient NO

Local No.

Course Name:

VCD (SC Bortezomib)

NHS No

Ward

SA (m²)

Height (m)

Weight (kg)

Monitoring	Acceptable Range		Date Due	Date of Test	Value	Checked	<div>Additional Prescribing Notes</div> <div>values return to normal or baseline. Dose should be reduced by 50% on next treatment cycle.</div>

Day	Date and Time	Drug and dose (per m2) or dose (per kg)	ACTUAL DOSE	Infusion Fluid and Final Volume	Route	Additives	Time/Infusion Rate	Line	Given/Checked by	Time Start/Stop	Comments
1	T=hrs	METOCLOPRAMIDE (10mg)	10 mg	None	PO				<div></div> <div>Batch No.</div>	<div></div>	Only to be used in patients with previous breakthrough N +/-or V. Administered at least 30 minutes prior to bortezomib
1	T=:hrs	BORTEZOMIB (1.3mg/m²)	mg	None	SC		Slow Bolus		<div></div> <div>Batch No.</div>	<div></div>	See additional prescribing note
4	T=hrs	METOCLOPRAMIDE (10mg)	10 mg	None	PO				<div></div> <div>Batch No.</div>	<div></div>	Only to be used in patients with previous breakthrough N +/-or V. Administered at least 30 minutes prior to bortezomib
4	T=:hrs	BORTEZOMIB (1.3mg/m²)	mg	None	SC		Slow Bolus		<div></div> <div>Batch No.</div>	<div></div>	See additional prescribing note
8	T=hrs	METOCLOPRAMIDE (10mg)	10 mg	None	PO				<div></div> <div>Batch No.</div>	<div></div>	Only to be used in patients with previous breakthrough N +/-or V. Administered at least 30 minutes prior to bortezomib

Allocated by:

Confirmed by:

Authorised by:

Checked by: (Pharmacist)

Date:

Date:

Date:

Date:

Chart Id.:

/ /

/ /

/ /

/ /

Parenteral Cytotoxic Chart

Chemocare Version 1.05

Page:3 of 7

Patient Details

Forename

Surname

Protocol

VCD

DOB

Patient NO

Local No.

Course Name:

VCD (SC Bortezomib)

NHS No

Ward

SA (m²)

Height (m)

Weight (kg)

Day	Date and Time	Drug and dose (per m2) or dose (per kg)	ACTUAL DOSE	Infusion Fluid and Final Volume	Route	Additives	Time/Infusion Rate	Line	Given/ Checked by	Time Start/ Stop	Comments
8	T=:hrs	BORTEZOMIB (1.3mg/m²)	mg	None	SC		Slow Bolus		<div></div> <div>Batch No.</div>	<div></div>	See additional prescribing note
11	T=:hrs	METOCLOPRAMIDE (10mg)	10 mg	None	PO				<div></div> <div>Batch No.</div>	<div></div>	Only to be used in patients with previous breakthrough N +/-or V. Administered at least 30 minutes prior to bortezomib
11	T=:hrs	BORTEZOMIB (1.3mg/m²)	mg	None	SC		Slow Bolus		<div></div> <div>Batch No.</div>	<div></div>	See additional prescribing note

Allocated by:

Confirmed by:

Authorised by:

Checked by: (Pharmacist)

Date:

Date:

Date:

Date:

Chart Id.:

/ /

/ /

/ /

/ /

Patient Details

Forename	Surname		Protocol	VCD					SA (m²)				
			Course Name	VCD (SC Bortezomib)					Height (m)				
DOB	Patient NO		Local No.		NHS No							Weight (kg)	
Consultant			Ward		Diagnosis		Myeloma						
Address													

Record drug allergies or sensitivities

				Time	Date													
Drug & dose	DEXAMETHASONE																	
Actual dose			Duration	SEE NOTE														
Route	PO		Start Date															
Frequency	SEE NOTE		Start Day	1														
Quantity Dispensed		Dispensed by																
		Accuracy check																
Note	Dexamethasone to be taken EACH MORNING on days 1+2, 4+5, 8+9, 11+12. Supply and label in a single container.																	
Drug & dose	CYCLOPHOSPHAMIDE																	
Actual dose	500 mg		Duration	3 WEEKS														
Route	PO		Start Date															
Frequency	WEEKLY		Start Day	1														
Quantity Dispensed		Dispensed by																
		Accuracy check																
Note	Cyclophosphamide to be taken ONCE a DAY on days 1, 8 and 15.																	

Allocated by:	Confirmed by:	Authorised by:	Checked by: (Pharmacist)	Chart Id.:
Date:	Date:	Date:	Date:	
/ /	/ /	/ /	/ /	

Oral Prescription Chart

Chemocare Version 1.05

Page:5 of 7

Patient Details

Forename	Surname		Protocol	VCD										SA (m²)	
			Course Name	VCD (SC Bortezomib)										Height (m)	
DOB	Patient NO	Local No.		NHS No											Weight (kg)
		Ward													
Address															

Record drug allergies or sensitivities														

				Time	Date												
Drug & dose	ACICLOVIR																
Actual dose	200 mg	Duration	21 DAYS														
Route	PO	Start Date															
Frequency	TDS	Start Day	1														
Quantity Dispensed		Dispensed by															
		Accuracy check															
Note	This is continuous treatment supply original packs. If pre-pack supplied record Batch Number : _____.																
Drug & dose	METOCLOPRAMIDE																
Actual dose	10 mg	Duration	PRN														
Route	PO	Start Date															
Frequency	TDS	Start Day	1														
Quantity Dispensed		Dispensed by															
		Accuracy check															
Note	Metoclopramide 10mg tablets are prescribed with each cycle, discuss with patient and delete if supply not required. If pre-pack supplied record Batch Number : _____.																

Allocated by:	Confirmed by:	Authorised by:	Checked by: (Pharmacist)	Chart Id.:
Date:	Date:	Date:	Date:	
/ /	/ /	/ /	/ /	

Patient Details

Forename	Surname		Protocol	VCD					SA (m²)				
			Course Name	VCD (SC Bortezomib)					Height (m)				
DOB	Patient NO		Local No.		NHS No							Weight (kg)	
			Ward										
Address													

Record drug allergies or sensitivities

				Time	Date													
Drug & dose	DEXAMETHASONE																	
Actual dose			Duration	2 DAYS														
Route	PO		Start Date															
Frequency	DAILY		Start Day	4														
Quantity Dispensed		Dispensed by																
		Accuracy check																
Note	To be taken in the MORNING on days 4 and 5. Supply issued on Day 1.																	
Drug & dose	DEXAMETHASONE																	
Actual dose			Duration	2 DAYS														
Route	PO		Start Date															
Frequency	DAILY		Start Day	8														
Quantity Dispensed		Dispensed by																
		Accuracy check																
Note	To be taken in the MORNING on days 8 and 9. Supply issued on Day 1.																	

Allocated by:	Confirmed by:	Authorised by:	Checked by: (Pharmacist)	Chart Id.:
Date:	Date:	Date:	Date:	
/ /	/ /	/ /	/ /	

Patient Details

Forename	Surname		Protocol	VCD					SA (m²)				
			Course Name	VCD (SC Bortezomib)					Height (m)				
DOB	Patient NO		Local No.		NHS No							Weight (kg)	
			Ward										
Address													

Record drug allergies or sensitivities

				Time	Date													
Drug & dose	DEXAMETHASONE																	
Actual dose			Duration	2 DAYS														
Route	PO		Start Date															
Frequency	DAILY		Start Day	11														
Quantity Dispensed			Dispensed by															
			Accuracy check															
Note	To be taken in the MORNING on days 11 and 12. Supply issued on Day 1.																	

Allocated by:	Confirmed by:	Authorised by:	Checked by: (Pharmacist)	Chart Id.:
Date:	Date:	Date:	Date:	
/ /	/ /	/ /	/ /	