

Parenteral Cytotoxic Chart

Chemocare prescription V1.04

Patient Details

Forename

Surname

Protocol

PACLITAXEL+BEVACIZUMAB

SA (m²)

Height (m)

Weight (kg)

DOB

Patient NO

Local No.

Course Name:

Paclitaxel 90mg/m2+ Bevacizumab 10mg/kg cycle 1

Consultant

Ward

Type of line

Diagnosis

Carcinoma of Breast

NHS No

No. of lumen:

Monitoring	Acceptable Range		Date Due	Date of Test	Value	Checked
Height (m)						
Weight (kg)						
SA (m²)						
ALA TRANSAM2.5ULN	0.00	100.00	Day [1]			
BILIRUBIN 1.5ULN	0.00	31.50	Day [1]			
CREATININE 1.5ULN	0.00	200.00	Day [1]			
NEUTROPHILS > 1.5	1.50	15.00	Day [1]			
PLATELETS > 100	100.00	600.00	Day [1]			
ALA TRANSAM2.5ULN	0.00	100.00	Day [8]			
BILIRUBIN 1.5ULN	0.00	31.50	Day [8]			
CREATININE 1.5ULN	0.00	200.00	Day [8]			
NEUTROPHILS > 1.5	1.50	15.00	Day [8]			
PLATELETS > 100	100.00	600.00	Day [8]			
ALA TRANSAM2.5ULN	0.00	100.00	Day [15]			
BILIRUBIN 1.5ULN	0.00	31.50	Day [15]			
CREATININE 1.5ULN	0.00	200.00	Day [15]			
NEUTROPHILS > 1.5	1.50	15.00	Day [15]			
PLATELETS > 100	100.00	600.00	Day [15]			

Additional Prescribing Notes

Patients must be registered with the CDF before commencing treatment.

Paclitaxel information

Paclitaxel must be administered with non PVC IV set, infusion bag and 0.2micron filter.

Dexamethasone IV pre-med may be reduced to a minimum of 4mg if no reaction occurs

If Bilirubin >1.5ULN, ALT >2.5ULN Serum Creatinine >1.5ULN and AST >2.5ULT omit paclitaxel

Bevacizumab information

INCOMPATIBLE WITH GLUCOSE 5%, flush with sodium chloride 0.9%

1st dose over 90 minutes then if well tolerated 2nd dose over 60 minutes then if well tolerated subsequent doses over 30 minutes.

Blood pressure and proteinuria by dipstick analysis should be monitored prior to each initial treatment and dose of bevacizumab

A clinical decision should be made about giving bevacizumab if they are not fit for concurrent chemotherapy

Day	Date and Time	Drug and dose (per m2) or dose (per kg)	ACTUAL DOSE	Infusion Fluid and Final Volume	Route	Additives	Time/Infusion Rate	Line	Given/ Checked by	Time Start/ Stop	Comments
1	T=hrs	FREE FLOWING INFUSION (500ml)	500 ml	SODIUM CHLORIDE 0.9%	IV				<div><div></div><div>Batch No.</div></div>	<div><div></div><div></div></div>	

Allocated by:
Date:

Confirmed by:
Date: / /

Authorised by:
Date: / /

Checked by: (Pharmacist)
Date: / /
Chart Id.:

Parenteral

Intrathecal

Oral

4
0
2

Parenteral Cytotoxic Chart

Chemocare prescription V1.04

Patient Details

Forename

Surname

Protocol

PACLITAXEL+BEVACIZUMAB

DOB

Patient NO

Local No.

Course Name:

Paclitaxel 90mg/m2+ Bevacizumab 10mg/kg cycle 1

Ward

SA (m²)

Height (m)

Weight (kg)

NHS No

Day	Date and Time	Drug and dose (per m2) or dose (per kg)	ACTUAL DOSE	Infusion Fluid and Final Volume	Route	Additives	Time/Infusion Rate	Line	Given/ Checked by	Time Start/ Stop	Comments
1	T=hrs	BEVACIZUMAB (10mg/kg)	mg	SODIUM CHLORIDE 0.9% 250 ml	IV				<div></div> <div>Batch No.</div>	<div></div>	1st dose over 90 minutes then if well tolerated 2nd dose over 60 minutes then if well tolerated subsequent doses over 30 minutes.
1	T=hrs	DEXAMETHASONE (8mg)	8 mg	None	IV		Slow Bolus		<div></div> <div>Batch No.</div>	<div></div>	IV dexamethasone pre-med may be reduced to a minimum of 4mg if no reaction occurs.
1	T=hrs	CHLORPHENAMINE (10mg)	10 mg		IV		Slow Bolus		<div></div> <div>Batch No.</div>	<div></div>	
1	T=hrs	METOCLOPRAMIDE (10mg)	10 mg	None	PO				<div></div> <div>Batch No.</div>	<div></div>	
1	T=hrs	RANITIDINE (50mg)	50 mg	None	IV		Slow Bolus		<div></div> <div>Batch No.</div>	<div></div>	
1	T=hrs	PACLITAXEL (90mg/m²)	mg	SODIUM CHLORIDE 0.9% 250 ml	IV		Infuse over 1 Hrs at a rate 250 ml/hr		<div></div> <div>Batch No.</div>	<div></div>	
8	T=hrs	FREE FLOWING INFUSION (500ml)	500 ml	SODIUM CHLORIDE 0.9%	IV				<div></div> <div>Batch No.</div>	<div></div>	

Allocated by:

Confirmed by:

Authorised by:

Checked by: (Pharmacist)

Date:

Date:

Date:

Date:

Chart Id.:

/ /

/ /

/ /

/ /

Parenteral Cytotoxic Chart

Chemocare prescription V1.04

Patient Details

Forename

Surname

Protocol

PACLITAXEL+BEVACIZUMAB

DOB

Patient NO

Local No.

Course Name:

Paclitaxel 90mg/m2+ Bevacizumab 10mg/kg cycle 1

NHS No

Ward

SA (m²)
Height (m)
Weight (kg)

Day	Date and Time	Drug and dose (per m2) or dose (per kg)	ACTUAL DOSE	Infusion Fluid and Final Volume	Route	Additives	Time/Infusion Rate	Line	Given/Checked by	Time Start/Stop	Comments
8	T=hrs	DEXAMETHASONE (8mg)	8 mg	None	IV		Slow Bolus		<div></div> <div>Batch No.</div>	<div></div>	IV dexamethasone pre-med may be reduced to a minimum of 4mg if no reaction occurs.
8	T=hrs	CHLORPHENAMINE (10mg)	10 mg		IV		Slow Bolus		<div></div> <div>Batch No.</div>	<div></div>	
8	T=hrs	METOCLOPRAMIDE (10mg)	10 mg	None	PO				<div></div> <div>Batch No.</div>	<div></div>	
8	T=hrs	RANITIDINE (50mg)	50 mg	None	IV		Slow Bolus		<div></div> <div>Batch No.</div>	<div></div>	
8	T=hrs	PACLITAXEL (90mg/m²)	mg	SODIUM CHLORIDE 0.9% 250 ml	IV		Infuse over 1 Hrs at a rate 250 ml/hr		<div></div> <div>Batch No.</div>	<div></div>	
15	T=hrs	FREE FLOWING INFUSION (500ml)	500 ml	SODIUM CHLORIDE 0.9%	IV				<div></div> <div>Batch No.</div>	<div></div>	
15	T=hrs	BEVACIZUMAB (10mg/kg)	mg	SODIUM CHLORIDE 0.9% 250 ml	IV				<div></div> <div>Batch No.</div>	<div></div>	1st dose over 90 minutes then if well tolerated 2nd dose over 60 minutes then if well tolerated subsequent doses over 30 minutes.

Allocated by:

Confirmed by:

Authorised by:

Checked by: (Pharmacist)

Date:

Date:

Date:

Date:

Chart Id.:

/ /

/ /

/ /

/ /

Parenteral Cytotoxic Chart

Chemocare prescription V1.04

Patient Details

Forename

Surname

Protocol

PACLITAXEL+BEVACIZUMAB

DOB

Patient NO

Local No.

Course Name:

Paclitaxel 90mg/m2+ Bevacizumab 10mg/kg cycle 1

SA (m²)

Height (m)

Weight (kg)

NHS No

Ward

Day	Date and Time	Drug and dose (per m2) or dose (per kg)	ACTUAL DOSE	Infusion Fluid and Final Volume	Route	Additives	Time/Infusion Rate	Line	Given/ Checked by	Time Start/ Stop	Comments
15	T=hrs	DEXAMETHASONE (8mg)	8 mg	None	IV		Slow Bolus		<div></div> <div>Batch No.</div>	<div></div>	IV dexamethasone pre-med may be reduced to a minimum of 4mg if no reaction occurs.
15	T=hrs	CHLORPHENAMINE (10mg)	10 mg		IV		Slow Bolus		<div></div> <div>Batch No.</div>	<div></div>	
15	T=hrs	METOCLOPRAMIDE (10mg)	10 mg	None	PO				<div></div> <div>Batch No.</div>	<div></div>	
15	T=hrs	RANITIDINE (50mg)	50 mg	None	IV		Slow Bolus		<div></div> <div>Batch No.</div>	<div></div>	
15	T=hrs	PACLITAXEL (90mg/m²)	mg	SODIUM CHLORIDE 0.9% 250 ml	IV		Infuse over 1 Hrs at a rate 250 ml/hr		<div></div> <div>Batch No.</div>	<div></div>	

Allocated by:

Confirmed by:

Authorised by:

Checked by: (Pharmacist)

Date:

Date:

Date:

Date:

Chart Id.:

Patient Details

Forename	Surname		Protocol	PACLITAXEL+BEVACIZUMAB					SA (m²)		
			Course Name	Paclitaxel 90mg/m2+ Bevacizumab 10mg/kg cycle 1					Height (m)		
DOB	Patient NO	Local No.		NHS No						Weight (kg)	
Consultant		Ward		Diagnosis	Carcinoma of Breast						
Address											

Record drug allergies or sensitivities

				Time	Date													
Drug & dose	METOCLOPRAMIDE																	
Actual dose	10 mg	Duration	PRN															
Route	PO	Start Date																
Frequency	TDS	Start Day	1															
Quantity Dispensed		Dispensed by																
		Accuracy check																
Note	Metoclopramide 10mg tablets are prescribed with each cycle, discuss with patient and delete if supply not required. If pre-pack supplied record Batch Number : _____.																	
Drug & dose	METOCLOPRAMIDE																	
Actual dose	10 mg	Duration	PRN															
Route	PO	Start Date																
Frequency	TDS	Start Day	8															
Quantity Dispensed		Dispensed by																
		Accuracy check																
Note	Metoclopramide 10mg tablets are prescribed with each cycle, discuss with patient and delete if supply not required. If pre-pack supplied record Batch Number : _____.																	

Allocated by:	Confirmed by:	Authorised by:	Checked by: (Pharmacist)	Chart Id.:
Date:	Date:	Date:	Date:	
/ /	/ /	/ /	/ /	

Patient Details

Forename	Surname		Protocol	PACLITAXEL+BEVACIZUMAB		SA (m²)	
			Course Name	Paclitaxel 90mg/m2+ Bevacizumab 10mg/kg cycle 1		Height (m)	
DOB	Patient NO	Local No.		NHS No			Weight (kg)
		Ward					
Address							

Record drug allergies or sensitivities

				Time	Date													
Drug & dose	METOCLOPRAMIDE																	
Actual dose	10 mg	Duration	PRN															
Route	PO	Start Date																
Frequency	TDS	Start Day	15															
Quantity Dispensed	Dispensed by																	
	Accuracy check																	
Note	Metoclopramide 10mg tablets are prescribed with each cycle, discuss with patient and delete if supply not required. If pre-pack supplied record Batch Number : _____.																	

Allocated by:	Confirmed by:	Authorised by:	Checked by: (Pharmacist)	Chart Id.:
Date:	Date:	Date:	Date:	
/ /	/ /	/ /	/ /	