

Patient Details

Forename

Surname

DOB

Patient NO

Local No.

Consultant

NHS No

Protocol

Course Name:

Type of line

No. of lumen:

Partial Prescription0 of2 Segments

Vinorelbine IV 30mg/m2 NSCLC

Chemocare prescription V1.06

Page:1 of 3

SA (m²)

Height (m)

Weight (kg)

Diagnosis

Non small cell lung cancer

Monitoring	Acceptable Range		Date Due	Date of Test	Value	Checked
Height (m)						
Weight (kg)						
SA (m²)						
ALA TRANSAM2.5ULN	0.00	100.00	Day [1]			
ALK PHOSPH 5 ULN	30.00	650.00	Day [1]			
BILIRUBIN 1.5ULN	0.00	31.50	Day [1]			
NEUTROPHILS > 1.5	1.50	15.00	Day [1]			
PLATELETS > 100	100.00	600.00	Day [1]			
NEUTROPHILS > 1.0	1.00	15.00	Day [8]			
PLATELETS> 75	75.00	600.00	Day [8]			

Additional Prescribing Notes

Patients previously treated with Doxorubicin appear to develop severe thrombophlebitis post Vinorelbine. Pretreat with Hydrocortisone 100mg IV immediately prior to administration of Vinorelbine.

Dose Modification
For grade 3 toxicity or neutropenic sepsis dose reduce to 22mg/m2 for subsequent cycles

Day	Date and Time	Drug and dose (per m2) or dose (per kg)	ACTUAL DOSE	Infusion Fluid and Final Volume	Route	Additives	Time/Infusion Rate	Line	Given/ Checked by	Time Start/ Stop	Comments
1	T=hrs	FREE FLOWING INFUSION (500ml)	500 ml	SODIUM CHLORIDE 0.9%	IV				<div></div> <div>Batch No.</div>	<div></div>	
1	T=hrs	DEXAMETHASONE (8mg)	8 mg	None	PO				<div></div> <div>Batch No.</div>	<div></div>	
1	T=hrs	ONDANSETRON (8mg)	8 mg	None	PO				<div></div> <div>Batch No.</div>	<div></div>	
1	T=:hrs	VINORELBINE (30mg/m²)	mg	SODIUM CHLORIDE 0.9% 50 ml	IV				<div></div> <div>Batch No.</div>	<div></div>	Max dose 60mg. Infuse over 5-10 mins & leave free flowing infusion running for 15 mins post dose. Monitor for signs of extravasation.

Allocated by:

Date:

Confirmed by:

Date: / /

Authorised by:

Date: / /

Checked by: (Pharmacist)

Date: / /

Chart Id.:Preview

Parenteral

Intrathecal

Oral

2

0

1

Parenteral Cytotoxic Chart

Chemocare prescription V1.06

Patient Details

Forename

Surname

DOB

Patient NO

Local No.

NHS No

Protocol

Course Name:

Ward

Partial Prescription0 of2 Segments

Vinorelbine IV 30mg/m2 NSCLC

Page:2 of 3

SA (m²)
Height (m)
Weight (kg)

Day	Date and Time	Drug and dose (per m2) or dose (per kg)	ACTUAL DOSE	Infusion Fluid and Final Volume	Route	Additives	Time/Infusion Rate	Line	Given/Checked by	Time Start/Stop	Comments
8	T=hrs	DEXAMETHASONE (8mg)	8 mg	None	PO				<div></div> <div>Batch No.</div>	<div></div>	
8	T=hrs	ONDANSETRON (8mg)	8 mg	None	PO				<div></div> <div>Batch No.</div>	<div></div>	
8	T=:hrs	VINORELBINE (30mg/m²)	mg	SODIUM CHLORIDE 0.9% 50 ml	IV				<div></div> <div>Batch No.</div>	<div></div>	Max dose 60mg. Infuse over 5-10 mins & leave free flowing infusion running for 15 mins post dose. Monitor for signs of extravasation.

Allocated by:

Confirmed by:

Authorised by:

Checked by: (Pharmacist)

Date:

Date:

Date:

Date:

Chart Id.:Preview

Patient Details

Forename	Surname		Protocol	VINORELBINE Single agent NSCLC						SA (m²)		
			Course Name	Vinorelbine IV 30mg/m2 NSCLC						Height (m)		
DOB	Patient NO	Local No.		NHS No							Weight (kg)	
Consultant		Ward		Diagnosis	Non small cell lung cancer							
Address												

Record drug allergies or sensitivities

				Time	Date												
Drug & dose	METOCLOPRAMIDE																
Actual dose	10 mg	Duration	PRN														
Route	PO	Start Date															
Frequency	TDS	Start Day	1														
Quantity Dispensed		Dispensed by															
		Accuracy check															
Note	If pre-pack supplied record Batch Number : _____.																
Drug & dose	METOCLOPRAMIDE																
Actual dose	10 mg	Duration	PRN														
Route	PO	Start Date															
Frequency	TDS	Start Day	8														
Quantity Dispensed		Dispensed by															
		Accuracy check															
Note	If pre-pack supplied record Batch Number : _____.																

Allocated by:	Confirmed by:	Authorised by:	Checked by: (Pharmacist)	Chart Id.:Preview
Date:	Date:	Date:	Date:	
/ /	/ /	/ /	/ /	